

OMSALINE

Machine Park



"İstedğin farksa, OMSA"
"OMSA, the difference that you desire"



OMSALINE



"İstedğin farksa, OMSA"
"OMSA, the difference that you desire"





FIBER LASER



"İstedğin farksa, OMSA"
"OMSA, the difference that you desire"


Brand:	DURMA
Model:	HD-F 3015
Dimensions:	3060/1530/160
Application Type:	FIBER LASER
Working Diameter:	Ø30 / Ø400
Max. Tube Thickness:	12mm
Max. Positioning Speed:	100m/dk



FIBER LASER



"İstediğin farksa, OMSA"
"OMSA, the difference that you desire"




PRESS BRAKE



"İstediğin farksa, OMSA"
"OMSA, the difference that you desire"


Brand:	DURMA
Model:	AD-S 30135
Dimensions:	1900/2900/4500mm
Application Type:	BENDING
Machine Type:	135kn
Bending Length:	3015mm
Machine Weight:	10500kg



PRESS BRAKE



"İstediğin farksa, OMSA"
"OMSA, the difference that you desire"



PIPE BENDING




"İstedğin farksa, OMSA"
"OMSA, the difference that you desire"

Brand:	BTS MAKİNA
Model:	BTS NC 90
Max. Pipe Diameter:	90
Max Pipe Thickness :	4 mm
Max. Bending Radius:	250 mm
Max. Bending Angle:	190°
Bending Speed:	30 /sn
Machine Length	4000 mm
Machine Width	1400 mm
Machine Weight	2700 Kg



Brand:	EVENTUS
Model:	ESM 1020
Body:	Steel
Processing Dimensions:	1000/2000/350mm
Motion Engines:	0,75/0,75/1 Kw
Slide System:	25/25/25 mm
Spindle Motor:	5,5 Kw 12000 rpm
Cooling systeme:	Water Cooling
You ask:	3 Piece
Control Board:	Newker / Adtech




GUILLOTINE SHEAR



"İstedğin farksa, OMSA"
"OMSA, the difference that you desire"

Brand:	DURMA
Model:	VS 3006
Cutting Length:	3080 mm
Cutting Capacity:	6 - 4 mm
Stroke Per Min.:	12 - 20
Cutting Angle:	0° 30' - 2°
Number of Holddowns:	16 mm
Holddown Force:	4 - 20 ton
Back Gauge Range:	1000 mm
Table Dimensions:	820/494/3280 mm



INJECTION



"İstediğin farksa, OMSA"
"OMSA, the difference that you desire"

Brand:	GEPSAN
Model:	AF220
Shot Volume:	414/511/618 cm ³
Shot Weight:	13.4/16.6/20 Oz
Clamping Force:	220 ton
Space Between Tie Bars:	530x530 mm
Mold Thickness(min.max.):	180-570
Max Pump Pressure:	16 Mpa
Heating Capacity:	14.5 Kw
Machine Weight:	7 ton




INJECTION



"İstedğin farksa, OMSA"
"OMSA, the difference that you desire"

Brand:	GEPSAN
Model:	AF220
Shot Volume:	1767/2011/2270 cm ³
Shot Weight:	57/65.2/73.7
Clamping Force:	400 ton
Space Between Tie Bars:	730x730 mm
Mold Thickness(min.max.):	250 - 750 mm
Max Pump Pressure:	16 Mpa
Heating Capacity:	27 Kw
Machine Weight:	16,5 ton



ECCENTRIC PRESS



"İstediğin farksa, OMSA"
"OMSA, the difference that you desire"



60 TON



35 TON



40 TON



35 TON



60 TON



120 TON



40 TON

POLISHING



"İstediğin farksa, OMSA"
"OMSA, the difference that you desire"



SANDING



POLISHING

MIG WELDING



STICK WELDING

POWDER COATING



"İstediğin farksa, OMSA"
"OMSA, the difference that you desire"

POWDER COATING BOOTH



BOX TYPE OVEN





"İstedigin farksa, OMSA"
"OMSA, the difference that you desire"

DOSAB Menekşe Sk. No : 03
Osmangazi / BURSA / TURKIYE

444 66 72

www.omsaline.com

 /omsaline

 /omsalineoto

 /omsaline

 /omsaline

 /omsaline